

For adults with chronic hepatitis C genotype 1-6

 **EPCLUSÀ**  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

Put curing Hep C on your

# TO-DAY LIST



Have Medicaid? You could **pay as little as \$0** for EPCLUSÀ or its Authorized Generic.\*

**Real patients**, cured with EPCLUSÀ and compensated by Gilead.

Cure means the Hep C virus is not detected in the blood when measured 3 months after treatment is completed.

\*Based on 2025 data from Gilead Sciences Medicaid patient coverage. See page 4 for details.

## IMPORTANT SAFETY INFORMATION

**What is the most important information I should know about EPCLUSÀ?**

**EPCLUSÀ can cause serious side effects, including:**

- Hepatitis B virus reactivation:** Before starting EPCLUSÀ treatment, your healthcare provider will do blood tests to check for hepatitis B infection. If you have ever had hepatitis B, the hepatitis B virus could become active again during and after treatment with EPCLUSÀ. This may cause serious liver problems including liver failure and death. If you are at risk, your healthcare provider will monitor you during and after taking EPCLUSÀ.

Please see Important Facts about EPCLUSÀ including **Important Warnings**.

# Hep C can lead to serious liver damage. EPCLUS<sup>A</sup> leads to a cure

If you're living with Hep C, **find peace of mind in knowing that it can be cured**. The sooner you start treatment, the more likely you are to avoid permanent damage to your liver. Don't wait—ask your doctor today about the 98% cure rate of EPCLUS<sup>A</sup>.

98%

CURE RATE\*

\*Average from studies of Hep C genotype 1-6 patients without cirrhosis or with compensated cirrhosis.



Want to learn more about EPCLUS<sup>A</sup>? Scan here for [more information](#)

I thought I'd have Hep C for the rest of my life. I'm so glad I put EPCLUS<sup>A</sup> on my To-Day List.

Kasey

Cured with EPCLUS<sup>A</sup>

## What is EPCLUS<sup>A</sup>?

EPCLUS<sup>A</sup> is a prescription medicine used to treat adults with chronic (lasting a long time) hepatitis C (Hep C) genotype 1-6 infection with or without cirrhosis (compensated). In those with advanced cirrhosis (decompensated), EPCLUS<sup>A</sup> is used with ribavirin.

## IMPORTANT SAFETY INFORMATION

### What is the most important information I should know about EPCLUS<sup>A</sup>?

### EPCLUS<sup>A</sup> can cause serious side effects, including:

- **Hepatitis B virus reactivation:** Before starting EPCLUS<sup>A</sup> treatment, your healthcare provider will do blood tests to check for hepatitis B infection. If you have ever had hepatitis B, the hepatitis B virus could become active again during and after

treatment with EPCLUS<sup>A</sup>. This may cause serious liver problems including liver failure and death. If you are at risk, your healthcare provider will monitor you during and after taking EPCLUS<sup>A</sup>.

Please see [Important Facts about EPCLUS<sup>A</sup> including Important Warnings](#).



**EPCLUS<sup>A</sup>**  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

# Cost doesn't need to keep you from getting a cure

## There are options that can make getting Hep C treatment more affordable

Most people with any type of insurance have coverage for EPCLUSA or its Authorized Generic. The Authorized Generic is also covered at a low out-of-pocket cost. That means you can focus on being cured, not on cost.



### Medicaid

Most people with Medicaid coverage pay **\$0 for the full course of treatment\***

\$0



### Medicare

EPCLUSA is covered by Medicare plans



### Health insurance plans

EPCLUSA and its Authorized Generic are covered by most health insurance plans



\*Based on 2025 data from Gilead Sciences Medicaid patient coverage.

The Authorized Generic of EPCLUSA (sofosbuvir/velpatasvir 400 mg/100 mg tablets) has the same exact ingredients as EPCLUSA, works the same way, and has the same safety profile, but comes in different packaging.

Please see Important Facts about EPCLUSA including Important Warnings.

# Lowering costs with the Co-pay Savings Program

If eligible, people with commercial insurance could pay as little as **\$5 per co-pay\* with the Co-pay Savings Program**. Call a Support Path® Navigator at 1-855-7-MYPATH (1-855-769-7284) to learn more.



Scan here to  
**check your eligibility today**

\*Co-pay Support is available for commercially insured eligible patients only. Additional restrictions may apply. Subject to change; for full terms and conditions, visit [www.mysupportpath.com](http://www.mysupportpath.com). This is not health insurance. Only accepted at participating pharmacies.

## What should I tell my healthcare provider before taking EPCLUSA?

- **Tell your healthcare provider about all of your medical conditions**, including if you have ever had hepatitis B infection, liver problems other than hepatitis C infection, or a liver transplant; if you have kidney problems or are on dialysis; if you have HIV; or if you are pregnant or breastfeeding, or plan to become pregnant or breastfeed. It is not known if EPCLUSA will harm your unborn baby or pass into your breast milk. If you take EPCLUSA with ribavirin, you should also read the ribavirin Medication Guide for important pregnancy-related information.

- **Tell your healthcare provider and pharmacist about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. EPCLUSA and certain other medicines may affect each other, or may cause side effects.

 **EPCLUSA®**  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

# Find confidence in the 98% cure rate of EPCLUS<sup>A</sup>

Life can be unpredictable, but no matter your situation you're worthy of a cure. Putting EPCLUS<sup>A</sup> on your To-Day List can help you get there.

 **98% CURE RATE\***

 **ONE PILL**

 **ONCE A DAY FOR 12 WEEKS**

\*Average from studies of Hep C genotype 1-6 patients without cirrhosis or with compensated cirrhosis.

## What are the possible side effects of EPCLUS<sup>A</sup>?

### Serious side effects may also include:

- **Slow heart rate (bradycardia):** EPCLUS<sup>A</sup>, when taken with amiodarone (Cordarone<sup>®</sup>, Nexterone<sup>®</sup>, Pacerone<sup>®</sup>), a medicine used to treat certain heart problems, may cause slow heart rate. In some cases slow heart rate has led to death or the need for a pacemaker when amiodarone is taken with medicines containing sofosbuvir. Get medical help right away if you take amiodarone with EPCLUS<sup>A</sup> and get any of the following symptoms: fainting or near-fainting, dizziness or lightheadedness, not feeling well, weakness, extreme tiredness, shortness of breath, chest pains, confusion, or memory problems.

Please see Important Facts about EPCLUS<sup>A</sup> including **Important Warnings**.



**Whether you're in recovery or not, EPCLUS<sup>A</sup> can treat your Hep C.**

EPCLUS<sup>A</sup> can be taken with other medicines, including many medically assisted therapies.

EPCLUS<sup>A</sup> and certain other medicines may affect each other or cause side effects. Talk to your healthcare provider about all the medicines you take and if they will interact with EPCLUS<sup>A</sup>.

**I was able to move forward, without Hep C doing more damage to my body.**

**Benjamin**  
Cured with EPCLUS<sup>A</sup>



# Being “ready” to cure Hep C looks different for everyone

It's your journey. With EPCLUSUSA, you can take the path that works best for you. EPCLUSUSA can be taken while on certain other medicines including:



Medically assisted therapies,  
including buprenorphine/naloxone,  
methadone, and naltrexone



Certain birth control medications



Many other medications

EPCLUSUSA and certain other medicines may affect each other or cause side effects. **Talk to your healthcare provider about all the medicines you take** and if they will interact with EPCLUSUSA.

## What are the possible side effects of EPCLUSUSA? (cont'd)

- The most common side effects of EPCLUSUSA in adults include headache and tiredness. The most common side effects of EPCLUSUSA when used with ribavirin in adults with decompensated cirrhosis are tiredness, low red blood cells, nausea, headache, trouble sleeping, and diarrhea.

These are not all the possible side effects of EPCLUSUSA. Call your doctor for medical advice about side effects.

**You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.**

# One pill, once a day, one step closer to curing Hep C

## Taking EPCLUSUSA

- Take one pill each day with or without food for **12 weeks**
- Works even if you have liver damage
- Works with your schedule
- EPCLUSUSA comes in a regular pill bottle small enough to fit in your pocket
- The Authorized Generic of EPCLUSUSA comes in blister packs instead of bottles
- EPCLUSUSA should be stored in original packaging below 86 °F



Not actual size.

## What should I tell my healthcare provider before taking EPCLUSUSA?

- Tell your healthcare provider and pharmacist about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. EPCLUSUSA and certain other medicines may affect each other, or may cause side effects.

Please see

Important Facts  
about EPCLUSUSA  
including **Important  
Warnings**.

For adults with chronic hepatitis C genotype 1-6



Move curing Hep C  
from your to-do list to your  
**TO-DAY LIST**

with EPCLUSA in your corner



Ask your doctor about EPCLUSA,  
and **visit [EPCLUSA.com](https://EPCLUSA.com) to  
learn more.**

Cure means the Hep C virus is not detected in the blood when measured 3 months after treatment is completed.

### **IMPORTANT SAFETY INFORMATION**

**What is the most important information I should know about EPCLUSA?**

**EPCLUSA can cause serious side effects, including:**

- Hepatitis B virus reactivation:** Before starting EPCLUSA treatment, your healthcare provider will do blood tests to check for hepatitis B infection. If you have ever had hepatitis B, the hepatitis B virus could become active again during and after treatment with EPCLUSA. This may cause serious liver problems including liver failure and death. If you are at risk, your healthcare provider will monitor you during and after taking EPCLUSA.

**Please see Important Facts about EPCLUSA including Important Warnings.**



EPCLUSA, the EPCLUSA Logo, SUPPORT PATH, the SUPPORT PATH Logo, GSI, GILEAD, and the GILEAD Logo are trademarks of Gilead Sciences, Inc., or its related companies. ASEGA and the ASEGA Logo are trademarks of Asega Therapeutics LLC. All other trademarks referenced herein are the property of their respective owners. The Authorized Generic of EPCLUSA is marketed by Asega Therapeutics LLC.

©2025 Gilead Sciences, Inc. All rights reserved. US-EPCC-0299 07/25