



# EPCLUSA<sup>®</sup>

sofosbuvir/velpatasvir  
400 mg/100 mg tablets

For adults with chronic Hep C genotypes 1-6.

“**NOW I KNOW  
EPCLUSA  
WAS THE  
RIGHT  
HEP C  
CURE  
FOR ME.**”

Brittany, cured  
with EPCLUSA


**Authorized  
Generic** of  
EPCLUSA  
also available  
as a low-cost  
option.

Cure means the Hep C virus is not detected in the blood when measured 3 months after treatment is completed.

Please see Important Facts about EPCLUSA including **Important Warning on hepatitis B reactivation** on page 9.


**“HEP C  
CAN MAKE  
YOU FEEL  
ALONE,  
BUT YOU’RE  
NOT.”**

Frank,  
cured with EPCLUSA



## FIND THE SUPPORT AND RESOURCES YOU NEED

Hep C is a serious liver disease  
that an estimated



people are living  
with in the U.S.

**But it can be cured.**



Text **“SUPPORT”** or call  
toll free, **1-844-4-EPCLUSA**  
(1-844-437-2587) to speak  
with an EPCLUSA Educator  
6 days a week.

### What is EPCLUSA?

EPCLUSA is a prescription medicine used to  
treat adults with chronic (lasting a long time)  
hepatitis C (Hep C) genotype 1-6 infection with  
or without cirrhosis (compensated).

### What is the most important information I should know about EPCLUSA?

#### EPCLUSA can cause serious side effects, including:

- **Hepatitis B virus reactivation:** Before starting  
EPCLUSA treatment, your healthcare provider will  
do blood tests to check for hepatitis B infection.

### Continued

If you have ever had hepatitis B, the hepatitis B  
virus could become active again during and after  
treatment with EPCLUSA. This may cause serious  
liver problems including liver failure and death. If you  
are at risk, your healthcare provider will monitor you  
during and after taking EPCLUSA.

Please see Important Facts about EPCLUSA including  
**Important Warning** on page 9.


 **EPCLUSA**<sup>®</sup>  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

“NOW I KNOW  
I DON’T  
HAVE TO  
LIVE WITH  
HEP C  
ANYMORE.”

Butch,  
cured with EPCLUSA

## EPCLUSA COULD BE YOUR KIND OF CURE

EPCLUSA has been extensively studied and **proven to cure all main types of Hepatitis C.**



\*In studies of genotype 1-6 patients without cirrhosis or with compensated cirrhosis.

Whether you just found out you have Hep C, or you’ve known for years, EPCLUSA could be **the right Hep C cure for you.**

### What should I tell my healthcare provider before taking EPCLUSA?

- **Tell your healthcare provider about all of your medical conditions**, including if you have ever had hepatitis B infection, liver problems other than hepatitis C infection, or a liver transplant; if you have kidney problems or are on dialysis; if you have HIV; or if you are pregnant or breastfeeding, or plan to become pregnant or breastfeed. It is not known if EPCLUSA will harm your unborn baby or pass into your breast milk.

- **Tell your healthcare provider and pharmacist about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. EPCLUSA and certain other medicines may affect each other, or may cause side effects.

Please see Important Facts about EPCLUSA including **Important Warning** on page 9.

 **EPCLUSA**<sup>®</sup>  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets



**“TAKING  
ONE PILL  
A DAY WAS  
EASY.”**

**Chris,**  
cured with EPCLUSA

## EPCLUSA IS A PILL, NOT AN INJECTION

**1**   
**PILL**  
**ONCE A DAY**

### Why **EPCLUSA**:

- One pill, once a day for 12 weeks
- Taken with or without food
- Works even if you have liver damage
- Works with your schedule
- Comes in a regular pill bottle small enough to fit in your pocket

EPCLUSA should be stored below 86 °F

### What are the possible side effects of EPCLUSA?

#### Serious side effects may also include:

- **Slow heart rate (bradycardia):** EPCLUSA, when taken with amiodarone (Cordarone®, Nexterone®, Pacerone®), a medicine used to treat certain heart problems, may cause slow heart rate. In some cases slow heart rate has led to death or the need for a pacemaker when amiodarone is taken with medicines containing sofosbuvir. Get medical help right away if you take amiodarone with EPCLUSA and get any of the following symptoms: fainting or near-fainting, dizziness or lightheadedness, not feeling well, weakness, extreme tiredness, shortness of breath, chest pains, confusion, or memory problems.

### Continued

The most common side effects of EPCLUSA in adults include headache and tiredness.

These are not all the possible side effects of EPCLUSA. Call your doctor for medical advice about side effects.

**You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.**

Please see Important Facts about EPCLUSA including **Important Warning** on page 9.

 **EPCLUSA**<sup>®</sup>  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

**“I ASKED MY DOCTOR IF I COULD TAKE EPCLUSA WITH MY OTHER MEDICATIONS AND HE SAID YES.”**

**Toby,**  
cured with EPCLUSA



### **What is the most important information I should know about EPCLUSA?**

#### **EPCLUSA can cause serious side effects, including:**

- **Hepatitis B virus reactivation:** Before starting EPCLUSA treatment, your healthcare provider will do blood tests to check for hepatitis B infection. If you have ever had hepatitis B, the hepatitis B virus could become active again during and after treatment with EPCLUSA. This may cause serious liver problems including liver failure and death. If you are at risk, your healthcare provider will monitor you during and after taking EPCLUSA.

Please see Important Facts about EPCLUSA including **Important Warning** on page 9.

## **EPCLUSA CAN WORK WITH CERTAIN MEDICINES**



Tell your healthcare provider about all the medicines you take, including:

- Prescription medicines
- Over-the-counter medicines
- Vitamins
- Herbal supplements

EPCLUSA and other medicines may affect each other. This may affect the way EPCLUSA and your other medicines work or may cause side effects.

Staying on your **current medicines** can be critical to your health.

 **EPCLUSA**<sup>®</sup>  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

“NOW I KNOW  
I COULD  
AFFORD  
TREATMENT  
WITH  
EPCLUSA.”

Angelica,  
cured with EPCLUSA

## THERE ARE MANY WAYS TO SAVE ON EPCLUSA



EPCLUSA is covered by **most major health insurance plans.**



EPCLUSA is also covered by **Medicare and many Medicaid plans.**



The **Authorized Generic** of EPCLUSA may be another savings option. It's the same treatment as EPCLUSA but comes in different packaging.



With the EPCLUSA **Co-Pay Coupon**, eligible patients could pay **as little as \$5 per co-pay.**

Restrictions apply.

### What should I tell my healthcare provider before taking EPCLUSA?

- **Tell your healthcare provider about all of your medical conditions**, including if you have ever had hepatitis B infection, liver problems other than hepatitis C infection, or a liver transplant; if you have kidney problems or are on dialysis; if you have HIV; or if you are pregnant or breastfeeding, or plan to become pregnant or breastfeed. It is not known if EPCLUSA will harm your unborn baby or pass into your breast milk.

- **Tell your healthcare provider and pharmacist about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. EPCLUSA and certain other medicines may affect each other, or may cause side effects.

Please see Important Facts about EPCLUSA including **Important Warning** on page 9.

 **EPCLUSA**<sup>®</sup>  
sofosbuvir/velpatasvir  
400 mg/100 mg tablets

# START THE CONVERSATION

Here are some questions you may want to ask your healthcare provider:

- What could happen if I wait to treat my Hep C?

---

---

- Can EPCLUSA cure my type of Hep C?

---

---

- I have liver damage; can I still be treated for Hep C?

---

---

- What are the common side effects of EPCLUSA?

---

---

- Can I take Medically-assisted therapies (MAT) for addiction recovery, like buprenorphine/naloxone, methadone, and naltrexone along with EPCLUSA?

---

---

- How could EPCLUSA affect the other medicines I'm taking such as birth control and other common medicines?

---

---

- Will my health insurance/Medicaid cover the cost of Hep C treatment?

---

---

## What are the possible side effects of EPCLUSA?

### Serious side effects may also include:

- **Slow heart rate (bradycardia):** EPCLUSA, when taken with amiodarone (Cordarone®, Nexterone®, Pacerone®), a medicine used to treat certain heart problems, may cause slow heart rate. In some cases slow heart rate has led to death or the need for a pacemaker when amiodarone is taken with medicines containing sofosbuvir. Get medical help right away if you take amiodarone with EPCLUSA and get any of the following symptoms: fainting or near-fainting, dizziness or lightheadedness, not feeling well, weakness, extreme tiredness, shortness of breath, chest pains, confusion, or memory problems.

### Continued

The most common side effects of EPCLUSA in adults include headache and tiredness.

These are not all the possible side effects of EPCLUSA. Call your doctor for medical advice about side effects.

**You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.**

Please see Important Facts about EPCLUSA including **Important Warning** on page 9.



**TAKE THE NEXT STEP.**  
TALK TO YOUR HEALTHCARE  
PROVIDER ABOUT  
CURING HEP C TODAY.



Scan here to  
learn more or visit  
[www.epclusa.com](http://www.epclusa.com)

Please see Important Facts about EPCLUSA  
including **Important Warning on hepatitis B  
reactivation** on page 9.







(ep-KLOO-suh)

## IMPORTANT FACTS

This is only a brief summary of important information about EPCLUSA and does not replace talking to your healthcare provider about your condition and your treatment.

### MOST IMPORTANT INFORMATION ABOUT EPCLUSA

**EPCLUSA can cause serious side effects, including:**

**Hepatitis B virus reactivation:** Before starting treatment with EPCLUSA, your healthcare provider will do blood tests to check for hepatitis B infection. If you have ever had hepatitis B, the hepatitis B virus could become active again during or after treatment with EPCLUSA. This may cause serious liver problems including liver failure and death. Your healthcare provider will monitor you if you are at risk for hepatitis B reactivation during and after you stop taking EPCLUSA.

### POSSIBLE SIDE EFFECTS OF EPCLUSA

**EPCLUSA can cause serious side effects, including:**

- **Those in the “Most Important Information about EPCLUSA” section.**
- **Slow heart rate (bradycardia):** EPCLUSA, when taken with amiodarone (Cordarone®, Nexterone®, Pacerone®), a medicine used to treat certain heart problems, may cause slow heart rate, which in some cases has led to death or the need for a pacemaker when amiodarone is taken with medicines containing sofosbuvir. Get medical help right away if you take amiodarone with EPCLUSA and get any of the following symptoms:
  - fainting or near-fainting
  - extreme tiredness
  - dizziness or lightheadedness
  - shortness of breath
  - chest pains
  - not feeling well
  - confusion
  - weakness
  - memory problems

**The most common side effects of EPCLUSA include** headache and tiredness in adults and children 6 years of age and older. The most common side effects of EPCLUSA when used with ribavirin in adults with decompensated cirrhosis are tiredness, low red blood cells, nausea, headache, trouble sleeping, and diarrhea. The most common side effects of EPCLUSA in children younger than 6 years are vomiting and problems with spitting up the medicine.

These are not all the possible side effects of EPCLUSA. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

### ABOUT EPCLUSA

EPCLUSA is a prescription medicine used to treat adults and children 3 years of age and older with chronic (lasting a long time) hepatitis C virus (HCV) genotype 1, 2, 3, 4, 5, or 6 infection with or without cirrhosis (compensated). In those with advanced cirrhosis (decompensated), EPCLUSA is used with ribavirin. EPCLUSA contains the two medicines: sofosbuvir and velpatasvir. It is not known if EPCLUSA is safe and effective in children under 3 years of age.

### BEFORE TAKING EPCLUSA

**Tell your healthcare provider about all of your medical conditions, including if you:**

- have ever had hepatitis B virus infection
- have liver problems other than hepatitis C infection
- have had a liver transplant
- have kidney problems or you are on dialysis
- have HIV-1 infection
- are pregnant or breastfeeding, or plan to become pregnant or breastfeed
  - If you take EPCLUSA with ribavirin, you should also read the ribavirin Medication Guide for important pregnancy-related information.

**Tell your healthcare provider about all the medicines you take:**

- Keep a list that includes all prescription and over-the-counter medicines, vitamins, and herbal supplements, and show it to your healthcare provider.
- EPCLUSA and certain medicines may affect each other, or cause side effects.

### GET MORE INFORMATION

- This is only a brief summary of important information about EPCLUSA. Talk to your healthcare provider or pharmacist to learn more.
- Go to EPCLUSA.com or call 1-844-4-EPCLUSA.
- To learn about potential savings, call 1-855-7-MYPATH or go to EPCLUSA.com.

